

2025

1980

Since

*“ The
power
uniting
the
abundance
of
water
with
product..! ”*



AKKONPLAST[®]
IRRIGATION SYSTEMS

Product Catalog



**45 YEARS
OF
EXPERIENCE
WITH
QUALITY,
TRUST AND
INNOVATION**

CONTENTS

IRRIGATION SYSTEMS EQUIPMENT

> Rain Type Irrigation Systems

Latched Sprinkler Irrigation Systems Equipment ... 05 - 13

Sprinklers 14 - 28

> Drip Irrigation Systems Equipment

Ring Drip Irrigation System Equipment 29 - 40

Screwed Drip Irrigation Systems Equipment 41 - 45

ABOUT US



From the first day we started operating in Konya in 1980 as Mehmet Akpınar Agricultural Irrigation, we have always determined our route in line with the wishes of our farmers.

In 2007, our company, which filled a serious gap in the agricultural field as Akkon Plastik, started to make the farmers smile with the quality products it produced.

3200m2 covered area and 10.000m2 open area in our firm. Without interrupting production, the overall sensitivity of the products produced from Konya, Türkiye has become an example for many companies reaching out to many provinces and districts.

Continuing on its way with years of experience, Akkon Plastik continues its efforts to produce innovative, productive and better quality products and to offer them to our farmers.

Latched Sprinkler Irrigation Systems



LATCHED Sprinkler Irrigation Pipes 5 m

<i>Product Code</i>	<i>Ø mm</i>	<i>Size</i>	<i>Packaging</i>
TYBM 01 001 075 - 5	75	5 m	1.000
TYBM 01 001 090 - 5	90	5 m	700
TYBM 01 001 110 - 5	110	5 m	400
TYBM 01 001 125 - 5	125	5 m	300
TYBM 01 001 140 - 5	140	5 m	250
TYBM 01 001 160 - 5	160	5 m	200

LATCHED Sprinkler Irrigation Pipes 6 m


<i>Product Code</i>	<i>Ø mm</i>	<i>Size</i>	<i>Packaging</i>
TYBM 01 002 075 - 6	75	6 m	1.000
TYBM 01 002 090 - 6	90	6 m	700
TYBM 01 002 110 - 6	110	6 m	400
TYBM 01 002 125 - 6	125	6 m	300
TYBM 01 002 140 - 6	140	6 m	250
TYBM 01 002 160 - 6	160	6 m	200

LATCHED Sprinkler Irrigation Systems Special Size

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TYBM01000090-5,40	Ø90 x 5,40	700
TYBM01000090-5,60	Ø90 x 5,60	700
TYBM01000110-5,40	Ø110 x 5,40	400
TYBM01000110-5,60	Ø110 x 5,60	400
TYBM01000125-5,40	Ø125 x 5,40	300
TYBM01000125-5,60	Ø125 x 5,60	300

LATCHED Head (Male)

Product Code	Ø mm	Packaging
TEM 03 001 075	75	200
TEM 03 001 090	90	150
TEM 03 001 110	110	70
TEM 03 001 125	125	40
TEM 03 001 140	140	30
TEM 03 001 160	160	25



LATCHED Head (Female)

Product Code	Ø mm	Packaging
TDM 02 001 075	75	200
TDM 02 001 090	90	150
TDM 02 001 110	110	70
TDM 02 001 125	125	40
TDM 02 001 140	140	30
TDM 02 001 160	160	25



LATCHED Male Blind Plug

Product Code	Ø mm	Packaging
TKM 04 001 075	75	200
TKM 04 001 090	90	150
TKM 04 001 110	110	70
TKM 04 001 125	125	40
TKM 04 001 140	140	30
TKM 04 001 160	160	25



LATCHED - IRRIGATION SYSTEMS



LATCHED "T"

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TTM 05 075 075	75 x 75	5
TTM 05 090 075	90 x 75	3
TTM 05 090 090	90 x 90	3
TTM 05 110 075	110 x 75	3
TTM 05 110 090	110 x 90	3
TTM 05 110 110	110 x 110	3
TTM 05 125 075	125 x 75	3
TTM 05 125 090	125 x 90	3
TTM 05 125 110	125 x 110	3
TTM 05 125 125	125 x 125	3
TTM 05 140 075	140 x 75	2
TTM 05 140 090	140 x 90	2
TTM 05 140 110	140 x 110	2
TTM 05 140 125	140 x 125	2
TTM 05 140 140	140 x 140	2
TTM 05 160 075	160 x 75	2
TTM 05 160 090	160 x 90	2
TTM 05 160 110	160 x 110	2
TTM 05 160 125	160 x 125	2
TTM 05 160 140	160 x 140	2
TTM 05 160 160	160 x 160	2

LATCHED Cross

Product Code	Ø mm	Packaging
TİM 06 075 075	75 x 75	5
TİM 06 090 075	90 x 75	3
TİM 06 090 090	90 x 90	3
TİM 06 110 075	110 x 75	3
TİM 06 110 090	110 x 90	3
TİM 06 110 110	110 x 110	3
TİM 06 125 075	125 x 75	3
TİM 06 125 090	125 x 90	3
TİM 06 125 110	125 x 110	3
TİM 06 125 125	125 x 125	3
TİM 06 140 075	140 x 75	2
TİM 06 140 090	140 x 90	2
TİM 06 140 110	140 x 110	2
TİM 06 140 125	140 x 125	2
TİM 06 140 140	140 x 140	2
TİM 06 160 075	160 x 75	2
TİM 06 160 090	160 x 90	2
TİM 06 160 110	160 x 110	2
TİM 06 160 125	160 x 125	2
TİM 06 160 140	160 x 140	2
TİM 06 160 160	160 x 160	2



LATCHED - IRRIGATION SYSTEMS



LATCHED Reducer

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TRM 08 090 075	90 x 75	15
TRM 08 110 075	110 x 75	12
TRM 08 110 090	110 x 90	10
TRM 08 125 110	125 x 110	6
TRM 08 140 110	140 x 110	5
TRM 08 140 125	140 x 125	5
TRM 08 160 110	160 x 110	4
TRM 08 160 125	160 x 125	3
TRM 08 160 140	160 x 140	3



LATCHED Elbow

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 07 001 075	75	4
TDM 07 001 090	90	4
TDM 07 001 110	110	4
TDM 07 001 125	125	4
TDM 07 001 140	140	4
TDM 07 001 160	160	4

LATCHED Abot

Product Code	Ø mm	Packaging
TAM 10 001 075	75	10
TAM 10 001 090	90	10



LATCHED Line Valve

Product Code	Ø mm	Packaging
THM 09 001 075	75	10
THM 09 001 090	90	10
THM 09 001 110	110	*
THM 09 001 125	125	*
THM 09 001 140	140	*
THM 09 001 160	160	4



LATCHED - IRRIGATION SYSTEMS



LATCHED Male Motopump

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TEM 34 000 075	75	?
TEM 34 000 090	90	?
TEM 34 000 110	110	?
TEM 34 000 125	125	?
TEM 34 000 140	140	?
TEM 34 000 160	160	?




LATCHED Female Motopump

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TEM 33 000 075	75	?
TEM 33 000 090	90	?
TEM 33 000 110	110	?
TEM 33 000 125	125	?
TEM 33 000 140	140	?
TEM 33 000 160	160	?

Extension Pipe

Product Code	Ø mm	Packaging
TUB 11 001 025	32 x 25	200
TUB 11 001 033	32 x 33	200
TUB 11 001 050	32 x 50	100
TUB 11 001 060	32 x 60	100
TUB 11 001 100	32 x 100	100



1" Ball Valve

Product Code	Ø mm	Packaging
TV 12 001 001	32 x 32	100



LATCHED - IRRIGATION SYSTEMS

LATCHED Gasket

Product Code	Ø mm	Packaging
TCM 14 001 075	75	600
TCM 14 001 090	90	400
TCM 14 001 110	110	400
TCM 14 001 125	125	500
TCM 14 001 140	140	100
TCM 14 001 160	160	




The Power Uniting the Abundance of Water With Product

SPRINKLERS



A-5 Springler

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 001	1	1/2	125



Experiment Report

Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
4 mm GREEN	1,5	0,70	27	8,5
	2	0,85	24	9
	3	1,00	22	10
3,8 mm ORANGE	1,5	0,70	27	8,5
	2	0,85	24	9
	3	1,00	22	10

A-10 Springler

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 002	1	1/2	125




Experiment Report



Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
3,2 mm BLACK 1,5 mm BLUE	1,5	0,70	27	8,5
	2	0,85	24	9
	3	1,00	22	10
3,8 mm ORANGE	1,5	0,70	27	8,5
	2	0,85	24	9
	3	1,00	22	10
3,2 mm BLACK 2,1 mm WHITE	1,5	0,70	27	8,5
	2	0,85	24	9
	3	1,00	22	10

A-15 Springler

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 003	Angle Adjustable	1/2	100



SPRINGLERS




Experiment Report

Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
4 mm GREEN	1,5	0,70	?	8
	2	0,85	?	9
	3	1,00	?	10
3,8 mm GREEN	1,5	0,65	?	7
	2	0,80	?	8
	3	0,95	?	9,5

A-30 Springler

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 004	2	3/4	50




Experiment Report

Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
4,8 mm BLACK 4,2 mm PURPLE	1,5	1,70	30	11
	2	1,95	31	12
	3	2,20	30	12,5
4,8 mm BLACK 3,8 mm ORANGE	1,5	1,40	29	11
	2	1,60	28	11,5
	3	2,00	30	12
4,8 mm BLACK 2,5 mm WHITE	1,5	1,25	32	10
	2	1,50	31	11
	3	1,80	31	11,5
4,2 mm PURPLE 3,8 mm ORANGE	1,5	1,25	29	11
	2	1,45	29	12
	3	1,85	35	12
4,2 mm PURPLE 2,5 mm WHITE	1,5	1,15	32	10
	2	1,35	35	11
	3	1,70	29	12

A-35 Springler

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 005	Angle Adjustable	3/4	50



Experiment Report

Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
4,8 mm BLACK	1,5	1,70	?	11
	2	1,95	?	12
	3	2,20	?	12,5
4,2 mm PURPLE	1,5	1,50	?	10
	2	1,85	?	11
	3	2,00	?	12

A-50 Springler

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 006	1	1	30




Experiment Report



Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
6 mm BLACK	1,5	2,00	97	12
	2	2,25	99	13
	3	2,80	97	13,5
7 mm ORANGE	1,5	2,80	71	14
	2	3,20	79	15
	3	3,60	70	16
8 mm YELLOW	1,5	2,90	75	17
	2	3,60	78	18
	3	6,40	80	18

A-60 Springler

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 007	2	1	25




Experiment Report

Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
7 mm ORANGE 6 mm BLACK	1,5	3,60	72	14
	2	4,30	74	15,5
	3	5,00	74	15
7 mm ORANGE 5 mm WHITE	1,5	3,50	74	13
	2	4,10	75	14,5
	3	4,80	76	15
7 mm ORANGE 4 mm BLUE	1,5	2,70	72	13
	2	3,40	74	14
	3	4,90	75	15
6 mm BLACK 5 mm WHITE	1,5	2,80	74	14
	2	3,30	73	14
	3	4,90	73	14,5
6 mm BLACK 4 mm BLUE	1,5	2,20	75	13
	2	2,80	75	13
	3	3,90	76	14

A-65 Springler

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 008	Angle Adjustable	1	25




Experiment Report

Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
6 mm BLACK	1,5	2,00	97	12
	2	2,25	99	13
	3	2,80	97	13,5
7 mm ORANGE	1,5	2,80	71	14
	2	3,20	79	15
	3	3,60	70	16

A-70 Springler

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 009	2	1	25




Experiment Report

Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
7 mm ORANGE 6 mm BLACK	1,5	3,50	73	13
	2	4,20	75	14
	3	4,90	74	15
7 mm ORANGE 5 mm WHITE	1,5	3,40	75	13
	2	4,00	76	14
	3	4,70	76	15,5
7 mm ORANGE 4 mm BLUE	1,5	2,80	73	12
	2	3,50	75	13
	3	4,60	75	14
6 mm BLACK 5 mm WHITE	1,5	3,00	74	14
	2	3,40	74	14
	3	4,80	73	14,6
3,2 mm BLACK 2,8 mm BLUE	1,5	2,30	76	12
	2	3,30	75	12
	3	4,50	75	13

A-80 Springler

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 010	2	1	25



Experiment Report



Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
7 mm ORANGE 6 mm BLACK	1,5	3,50	73	13
	2	4,20	75	14
	3	4,90	74	15
7 mm ORANGE 5 mm WHITE	1,5	3,40	75	13
	2	4,00	76	14
	3	4,70	76	15,5
7 mm ORANGE 4 mm BLUE	1,5	2,80	73	12
	2	3,50	75	13
	3	4,60	75	14
6 mm BLACK 5 mm WHITE	1,5	3,00	74	14
	2	3,40	74	14
	3	4,80	73	14,6
3,2 mm BLACK 2,8 mm BLUE	1,5	2,30	76	12
	2	3,30	75	12
	3	4,50	75	13

B-10 Sprinkler - With Breaker

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 011	2	1	25




Experiment Report

Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
3,2 - 2,8 mm BLACK	1,5	0,75	35	9
	2	1,05	34	10
	3	1,35	35	11
3,2 - 2,1 mm BLACK	1,5	0,5	35	8,5
	2	0,7	34	10
	3	1,1	35	10,8
3,2 - 1,5 mm BLACK	1,5	0,4	35	8
	2	0,5	34	10
	3	0,9	35	10,5

B-10 Sprinkler - Without Breaker

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 011K	2	1	25



Experiment Report



Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
3,2 - 2,8 mm BLACK	1,5	0,75	35	9
	2	1,05	34	10
	3	1,35	35	11
3,2 - 2,1 mm BLACK	1,5	0,5	35	8,5
	2	0,7	34	10
	3	1,1	35	10,8
3,2 - 1,5 mm BLACK	1,5	0,4	35	8
	2	0,5	34	10
	3	0,9	35	10,5

B-30 Sprinkler - With Breaker

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 008	2	1	25



Experiment Report

Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
4,8 - 4,2 mm BLACK	1,5	1,95	45	10,4
	2	2,2	44	11,5
	3	2,4	44	12,8
4,8 - 3,8 mm BLACK	1,5	1,75	45	10,2
	2	2,1	44	11,4
	3	2,5	44	12,6
4,8 - 2,5 mm BLACK	1,5	1,4	43	10,3
	2	1,8	44	11,4
	3	2	45	12,5
4,2 - 3,8 mm BLACK	1,5	1,6	44	9,9
	2	1,9	44	11
	3	2,3	45	12
4,2 - 2,5 mm BLACK	1,5	1,04	44	9,8
	2	1,3	44	11
	3	1,8	45	12

B-30 Sprinkler - Without Breaker

Product Code	Ø mm	Ø mm	Packaging
TS 15 001 008K	2	1	25



Experiment Report



Nozzle	Application Pressure (bar)	Header Flow (m3/h)	3 Lap Time (s)	Wetting Radius (m)
4,8 - 4,2 mm BLACK	1,5	1,95	45	10,4
	2	2,2	44	11,5
	3	2,4	44	12,8
4,8 - 3,8 mm BLACK	1,5	1,75	45	10,2
	2	2,1	44	11,4
	3	2,5	44	12,6
4,8 - 2,5 mm BLACK	1,5	1,4	43	10,3
	2	1,8	44	11,4
	3	2	45	12,5
4,2 - 3,8 mm BLACK	1,5	1,6	44	9,9
	2	1,9	44	11
	3	2,3	45	12
4,2 - 2,5 mm BLACK	1,5	1,04	44	9,8
	2	1,3	44	11
	3	1,8	45	12



DRIP IRRIGATION SYSTEMS


Ring Drip Irrigation Systems






Dovetail Mini Valve

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 017 001	16 x 16	1000
TDM 22 017 002	20 x 16	1000
TDM 22 017 003	20 x 20	1000
TDM 22 017 004	25 x 25	1000



Dovetail Gasket Outlet Mini Valve

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 018 001	16 x 16	1000
TDM 22 018 002	20 x 20	1000
TDM 22 018 003	20 x 25	1000




Dovetail Mini Valve With Outlet Grooved

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 019 001	16 x 1/2	1000
TDM 22 019 002	20 x 1/2	1000
TDM 22 019 003	16 x 3/4	1000
TDM 22 019 004	20 x 3/4	1000
TDM 22 019 005	25 x 3/4	1000


Dovetail The Ringwhell Mini Valve

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 020 001	17 x 16	1000
TDM 22 020 002	22 x 20	1000
TDM 22 020 003	25 x 20	1000
TDM 22 020 004	25 x 25	1000



Mini Gas Valve With Ring Seal


<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 021 001	17 x 16	1000
TDM 22 021 002	22 x 16	1000
TDM 22 021 003	17 x 20	1000
TDM 22 021 004	22 x 20	1000
TDM 22 021 005	25 x 20	1000




RING / Drip Irrigation Systems

Mini Valve With External Gear With Ring


<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 022 001	1/2 x 17	1000
TDM 22 022 002	1/2 x 22	1000
TDM 22 022 003	3/4 x 17	1000
TDM 22 022 004	3/4 x 22	1000
TDM 22 022 005	3/4 x 25	1000






Mini Valve With Ring

Product Code	Ø mm	Packaging
TDM 22 023 001	17 x 17	1000
TDM 22 023 002	22 x 22	1000
TDM 22 023 003	25 x 25	1000



Three Way Mini Valve With Ring

Product Code	Ø mm	Packaging
TDM 22 024 001	17 x 1/2 x 17	1000
TDM 22 024 002	22 x 1/2 x 22	1000
TDM 22 024 003	25 x 1/2 x 25	1000



Three Way Ring Outlet Mini Valve With Ring

Product Code	Ø mm	Packaging
TDM 22 025 001	17 x 20 x 17	1000
TDM 22 025 002	22 x 20 x 22	1000
TDM 22 025 003	25 x 20 x 25	1000

Mini Valve With Ring Gear Elbow


<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 026 001	17 x 1/2	1000
TDM 22 026 002	22 x 1/2	1000
TDM 22 026 003	25 x 1/2	1000

Conical Gasket Outlet Elbow Mini Valve

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 027 001	17 x 20	1000
TDM 22 027 002	22 x 20	1000
TDM 22 027 003	25 x 20	1000




RING / Drip Irrigation Systems



Nipple With Ring

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 028 001	17 x 17	1000
TDM 22 028 002	22 x 22	1000
TDM 22 028 003	25 x 25	1000



Ring Seal Output Addition Nipple

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 029 001	17 x 16	1000
TDM 22 029 002	22 x 20	1000
TDM 22 029 003	25 x 20	1000




Ringed Female Threaded Elbow

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 053 001	17 x 1/2	1000
TDM 22 053 002	22 x 1/2	1000
TDM 22 053 003	25 x 1/2	1000


Ring Seal Exit "T"

Product Code	Ø mm	Packaging
TDM 22 031 001	17 x 16 x 17	1000
TDM 22 031 002	17 x 20 x 17	1000
TDM 22 031 003	22 x 20 x 22	1000
TDM 22 031 004	25 x 20 x 25	1000



Ring Seal Exit "T"

Product Code	Ø mm	Packaging
TDM 22 032 001	17 x 1/2 x 17	1000
TDM 22 032 002	22 x 1/2 x 22	1000
TDM 22 032 003	25 x 1/2 x 25	1000



RING / Drip Irrigation Systems



Adding The Dovetail Nipple

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 001 001	16 x 16	1000
TDM 22 001 002	20 x 16	1000
TDM 22 001 003	20 x 20	1000



Adding Dovetail Gasket Nipple

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 002 001	16 x 16	1000
TDM 22 002 002	20 x 20	1000



Dovetail Blind Plug

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 003 001	16 x 16	1000
TDM 22 003 002	20 x 20	1000

Eyeglasses Blind Plug

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 004 001	16 x 16	1000
TDM 22 004 002	20 x 20	1000



Dovetail "T"

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 005 001	16 x 16 x 16	1000
TDM 22 005 002	20 x 16 x 20	1000
TDM 22 005 003	20 x 20 x 20	1000



Dovetail Elbow

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 006 001	16 x 16	
TDM 22 006 002	20 x 16	



RING / Drip Irrigation Systems




Main Pipe Drilling Appliance

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 011 001	16	500
TDM 22 011 002	20	500



Dripping Pipe Drilling

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 012 001	3	500



Drill Pipe Drilling

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 013 001	16	500
TDM 22 013 002	20	500

Big Dripper

Product Code	L / h	Packaging
TDM 22 014 001	0 -140	500



Small Dripper

Product Code	L / h	Packaging
TDM 22 016 001	0 -170	500



Fixing Sparrow

Product Code	Ø mm	Packaging
TDM 22 007 001	UZUN / Long	1000
TDM 22 007 002	KISA / Short	1000



RING / Drip Irrigation Systems



Ducted Natural Gasket

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 008 001	16	1000
TDM 22 008 002	20	1000



Straight Natural Gasket

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 009 001	16	1000
TDM 22 009 002	20	1000




Ducted Natural Gasket Blind Plug

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 010 001	16	1000
TDM 22 010 002	20	1000




SCREWED DRIP IRRIGATION SYSTEMS




Screwed Gas Mini Valve

Product Code	Ø mm	Packaging
TDM 22 033 001	17 x 16	1000
TDM 22 033 002	20 x 20	1000
TDM 22 033 003	22 x 20	1000
TDM 22 033 004	25 x 20	1000



Screwed Mini Valve

Product Code	Ø mm	Packaging
TDM 22 034 001	17 x 17	1000
TDM 22 034 002	20 x 20	1000
TDM 22 034 003	22 x 22	1000
TDM 22 034 004	25 x 25	1000




Screwed External Threaded Mini Valve

Product Code	Ø mm	Packaging
TDM 22 035 001	1/2 x 17	1000
TDM 22 035 002	1/2 x 20	1000
TDM 22 035 003	1/2 x 22	1000
TDM 22 035 004	3/4 x 17	1000
TDM 22 035 005	3/4 x 20	1000
TDM 22 035 006	3/4 x 22	1000
TDM 22 035 007	3/4 x 25	1000

Screwed Nipple Insertion

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 040 001	17 x 17	1000
TDM 22 040 002	20 x 20	1000
TDM 22 040 003	22 x 22	1000
TDM 22 040 004	25 x 25	1000




Screwed Gasket Output Insertion Nipple

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 041 001	17 x 16	1000
TDM 22 041 002	20 x 20	1000
TDM 22 041 003	22 x 20	1000
TDM 22 041 004	25 x 20	1000



Screwed "T"

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 043 001	20 x 20 x 20	1000



SCREWED DRIP IRRIGATION SYSTEMS



Screwed Gasket Outlet "T"

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 044 002	20 x 20 x 20	1000




Screwed Abote Above "T" Distributor

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 049 001	20 x 1" x 20 Distributor Spreader	1000



Screwed Stub Apparatus

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 050 001	1/2 x 20	1000



Drip Picking Reel

<i>Product Code</i>	<i>Ø mm</i>	<i>Packaging</i>
TDM 22 052 001	-	250

Nozzles

Product Code	Ø mm	Packaging
TN 16 001 001	1/2	125
TN 16 001 002	3/4	50
TN 16 001 003	1"	25



Muffs

Product Code	Ø mm	Packaging
TM 13 001 001	1" x 1/2 Maşon Dişı Dişı	600
TM 13 001 002	1" x 3/4 Maşon Dişı Dişı	600
TM 13 001 003	1" x 1" Maşon Dişı Dişı	400
TM 13 001 004	1" x 1" Nipel Erkek Erkek	400
TM 13 001 005	1" Abot Maşon	500



Nozzles - Muffs





*“ The power uniting the abundance of
water with product..! ”*

The power uniting the abundance of water with product



 **AKKONPLAST®**
IRRIGATION SYSTEMS

+90 0332 239 24 96

Konya Organize Sanayi Bölgesi 18. Sk. No: 14 Selçuklu, KONYA, TÜRKİYE

www.akkonplast.com - bilgi@akkonplast.com - [instagram.com/akkonplastik](https://www.instagram.com/akkonplastik) - [facebook.com/akkonplast](https://www.facebook.com/akkonplast)